

1.	200	2:03.26	767	400	4:22.03	724	200	2:15.88	720			1491	2
2.	50 100	23.20 1:00.21	732 553	100	52.11	727	50	29.05	712	50	27.21	1459 648	2
	50	29.68	741	100	1:04.01	718	100	58.47	691	50	27.84	1459 675	2
4.	400	4:21.68	727	200	2:05.77	722	200	2:24.43	619			1449	2
5.	100	52.00	731	50	23.42	711	50	25.78	644			1442	2
6.	100	57.73	718	50	30.03	715	50	26.52	705			1433	2
7.	200 50	2:07.09 27.26	721 644	400 100	4:31.72 1:06.24	710 633	50	29.64	671	200	2:07.23	1431 652	2
8.	100	51.95	733	50	23.64	692	100	58.01	619			1425	2
9.	100	51.95	733	50	26.74	683	200	1:57.40	655	100	1:00.10	1416 632	2
10.	400	4:31.61	711	400	4:07.60	702	200	2:09.81	614	200	2:15.25	1413 566	2
11.	200	2:21.81	703	400	5:00.45	692	50	33.96	633	100	1:14.76	1395 631	2
12.	100	58.27	694	50	26.61	693	50	32.26	272			1387	2
13.	200	2:22.11	699	400	5:01.18	687	100	1:03.52	666	200	2:23.27	1386 614	2
14.	200	2:05.86	720	100	59.26	664	400	4:30.23	660	800	9:17.09	1384 658	2
15.	50	25.00	706	50	23.82	676	100	54.13	648			1382	2
16.	1500	16:22.16	697	800	8:33.85	681	400	4:13.55	653			1378	2
17.	50	26.52	705	100	1:13.25	671						1376	2
18.	400	4:08.19	697	1500	16:36.00	668	800	8:43.79	643			1365	2

13 -15 2025

19.	400	,	4:34.96	686	200	2:09.80	677	200	2:09.53	618			1363	2
	100	,	56.16	682	100	53.24	681	50	25.44	670	50	24.27	1363	2
													639	
21.	100	,	58.39	694	200	2:09.07	668	200	2:24.53	664	200	2:28.61	1362	2
	200	,	2:07.79	688	100	58.95	674	50	27.70	619			1362	2
23.	100	,	52.95	693	200	1:56.88	664	50	24.28	638			1357	2
24.	100	,	1:05.14	681	50	30.66	672	100	1:00.60	621	200	2:26.17	1353	2
	50		28.29	581	200	2:16.14	569						597	
25.	100	,	58.64	685	50	27.02	667	200	2:26.94	632			1352	2
26.	400	,	4:09.96	682	200	1:57.35	656	100	54.46	637			1338	2
27.	50	,	29.68	668	200	2:23.58	667						1335	2
28.	100	,	53.63	667	50	24.04	658						1325	2
29.	100	,	53.80	660	100	56.81	659	50	24.33	634	200	1:58.99	1319	2
													629	
30.	100	,	1:04.99	670	50	29.99	647						1317	2
31.	100	,	59.48	657	50	27.23	651	200	2:10.59	645			1308	2
32.	100	,	1:03.74	659	50	27.30	646	100	1:00.66	619	50	28.79	1305	2
													611	
33.	200	,	1:57.20	659	100	54.26	644	200	2:12.23	640	100	1:07.31	1303	2
													603	
34.	400	,	4:13.81	651	200	1:57.71	650	800	8:52.25	612	100	55.24	1301	2
	50		25.65	541									610	
35.	400	,	4:12.42	662	200	1:58.53	637						1299	2
36.	50	,	30.97	652	100	1:06.66	636	50	28.13	591	100	1:01.94	1288	2
													581	
37.	100	,	1:14.30	643	50	33.79	642	200	2:40.20	632	100	1:04.34	1285	2
													519	

13 -15 2025

		,				03		1				1285	2
	200	2:22.36	647	50	31.20	638	100	1:07.16	622	200	2:17.51	552	
	200	2:33.81	551										
39.			,			07		1				1279	2
	50	25.79	643	100	54.47	636	50	24.40	629	100	58.50	603	
			,			09						1279	2
	100	53.79	661	50	24.54	618	200	2:00.81	601				
41.			,			10		2				1277	2
	100	59.56	654	50	27.63	623	50	28.64	620	100	1:05.21	615	
	200	2:15.72	574										
42.			,			09		6				1276	2
	50	33.87	638	200	2:26.46	638	50	27.54	630	100	1:06.01	593	
43.			,			02						1269	2
	200	2:12.32	639	100	54.64	630	200	2:28.56	602	50	28.09	589	
	50	31.63	552										
44.			,			08		4				1266	2
	200	2:12.13	642	400	4:43.64	624	800	8:57.87	593	50	31.79	543	
45.			,			07		2				1262	2
	50	30.61	675	50	28.19	587							
46.			,			08		2				1260	2
	400	4:15.92	635	800	8:48.62	625							
			,			09						1260	2
	50	27.41	634	100	1:00.31	626	100	54.99	618	50	25.47	553	
48.			,			08		6				1258	2
	200	2:11.77	647	200	2:27.80	611	50	31.66	550	800	9:16.78	535	
			,			09						1258	2
	100	1:04.39	639	200	2:22.89	619	200	2:28.96	606				
50.			,			07		1				1254	2
	50	29.97	649	50	26.33	605	100	1:07.31	603	200	2:34.29	537	
51.			,			08						1243	2
	1500	16:55.05	631	800	8:52.29	612	50	25.59	545	200	2:19.67	543	
52.			,			04						1241	2
	200	2:39.42	642	200	2:29.54	599	100	1:16.36	592	50	35.95	533	
	200	2:32.91	522										
53.			,			09		4				1240	2
	400	4:42.86	630	200	2:14.36	610	100	55.73	594	800	9:08.98	558	
54.			,			08		4				1239	2
	1500	16:56.42	629	800	8:52.96	610	400	4:22.32	590	100	59.63	485	
	50	28.49	395										
55.			,			07		3				1233	2
	200	2:11.33	634	400	4:39.10	599							

13 -15 2025

	100	54.52	634	100	58.64	599	50	26.71	579	50	25.39	558	1233	2
						09								
													1231	2
57.	100	54.51	635	200	2:01.14	596	50	25.27	566					
						00								
58.	100	54.95	620	100	1:00.83	610	200	2:06.45	524	400	4:48.56	443	1230	2
						07								
59.	100	54.58	632	200	2:01.27	595	50	25.09	578	400	4:29.22	546	1227	2
						99								
	200	2:22.94	639	50	28.17	588	100	1:08.59	583	50	32.24	578	1227	2
						04								
61.	100	1:00.50	620	200	2:12.22	606	50	27.85	604				1226	2
						08								
62.	400	4:18.74	615	100	55.37	606	200	2:00.66	604	800	9:07.14	564	1221	2
	50	26.05	517											
						10								
	400	4:18.60	616	800	8:54.52	605	400	4:51.25	577				1221	2
						11								
64.	50	34.19	620	100	1:01.61	591	50	28.16	589	100	1:17.48	567	1211	2
						04								
65.	400	4:18.54	616	200	2:01.63	589	800	9:04.18	573	200	2:14.71	549	1205	2
	50	26.49	491											
						09								
66.	50	27.93	604	100	1:01.28	600	200	2:16.69	562	50	36.33	517	1204	2
	50	30.69	504	50	34.49	472								
						07								
67.	400	4:19.04	613	1500	17:25.04	579	800	9:03.86	574				1192	2
						06								
68.	200	2:13.07	609	100	1:01.90	582	100	1:09.06	572				1191	2
						09								
69.	1500	18:06.91	607	800	9:41.29	580	200	2:21.68	505	100	1:06.17	477	1187	2
						09								
70.	100	55.48	602	50	25.05	581	50	27.11	554	100	1:03.28	477	1183	2
						05								
71.	400	4:21.12	598	1500	17:21.66	584	800	9:05.34	569	200	2:05.25	540	1182	2
						10								
72.	100	1:16.46	590	50	34.84	586	200	2:47.45	554				1176	2
						08								
	400	4:19.58	609	200	2:03.19	567	50	26.16	510				1176	2
						08								

13 -15 2025

74.	200	2:13.16	593	100	1:01.86	580	800	9:04.20	573	200	2:04.27	552	1173	2
75.	800	9:35.68	597	400	4:43.20	574	1500	18:46.93	544				1171	2
	200	2:12.14	622	100	1:03.15	549							1171	2
77.	50	26.55	590	100	59.35	578	50	25.67	540	100	57.71	535	1168	2
	50	30.23	472	200	2:28.25	430								
78.	50	25.00	585	50	26.66	582	.						1167	2
79.	200	2:13.48	604	100	1:02.76	559	400	4:47.27	550	50	29.31	522	1163	2
	200	2:40.50	451											
80.	100	55.06	616	50	25.59	545	400	4:30.20	540				1161	2
81.	100	1:01.92	582	50	28.33	578	50	32.68	555				1160	2
82.	200	2:11.23	594	400	4:26.06	565	100	1:00.69	540				1159	2
83.	100	55.50	601	200	2:04.09	555	400	4:28.60	550	50	25.81	531	1156	2
84.	200	2:14.77	587	100	1:02.50	566	200	2:33.07	559				1153	2
85.	1500	17:14.56	596	800	9:09.82	556	400	4:30.77	536				1152	2
86.	200	2:12.35	579	50	26.82	572							1151	2
87.	100	1:06.36	584	50	29.55	565	100	1:04.03	526	50	36.23	521	1149	2
88.	200	2:15.50	577	800	9:44.28	571	400	4:44.55	566	1500	18:34.46	563	1148	2
	100	1:03.50	540	50	29.71	501								
89.	100	1:01.48	591	50	28.63	556							1147	2
90.	50	30.63	608	100	1:09.97	537							1145	2
91.	100	56.06	584	200	2:03.70	560	50	26.05	517				1144	2
	100	1:01.77	582	50	25.33	562	50	28.57	560	200	2:16.07	556	1144	2
	200	2:06.38	525											

13 -15 2025

93.	200	2:30.79	585	100	1:02.78	558	200	2:18.37	542	400	5:34.59	501	08	2	1143	2
94.	200	2:14.38	592	200	2:29.00	546		2					07	2	1138	2
95.	50	32.30	575	100	1:09.49	561	200	2:19.36	530	200	2:34.77	503	07	1	1136	2
96.	400	4:23.25	584	200	2:04.47	550	100	57.50	541				10		1134	2
97.	100	55.69	595	50	25.70	538	50	28.19	493	100	1:04.52	450	08	6	1133	2
98.	50 200	28.25 2:30.35	579 412	100 200	1:02.92 2:22.69	551 365	100	59.57	486	50	26.82	473	09		1130	2
99.	50 100	34.96 1:14.57	580 454	50 200	32.84 2:43.82	547 424	200	2:50.85	521	200	2:43.17	461	09		1127	2
100.	200	2:16.23	568	100	1:02.81	558	400	4:47.02	551				10	3	1126	2
101.	200 50	2:17.88 30.58	565 456	50	31.47	560	100	58.50	513	200	2:41.51	468	09	2	1125	2
102.	100	59.76	566	200	2:18.47	558	200	2:16.74	525				10		1124	2
103.	400	5:21.19	567	100	1:02.86	556	200	2:33.66	552				11		1123	2
104.	100 1500	1:02.39 18:58.97	569 527	200 400	2:17.44 4:52.18	553 522	50	29.17	530	800	9:59.22	529	09	2	1122	2
105.	50	26.83	571	100	57.18	550	50	26.40	496	50	30.49	460	06	12	1121	2
106.	50	26.86	569	50	25.50	551	100	57.59	538	50	31.98	534	07	7	1120	2
	50 200	32.45 2:23.44	567 486	100	1:09.84	553	100	1:03.01	552	50	30.87	495	03	1	1120	2
108.	200	2:29.49	558	200	2:47.19	556	100	1:09.72	555				10	4	1114	2
109.	100 50	55.66 30.31	596 469	50 200	26.05 2:31.86	517 400	200	2:07.47	512	100	1:05.91	479	11		1113	2
110.	100	1:02.38	569	50	28.95	542	200	2:24.94	471				09	8	1111	2

13 -15 2025

111.	100	56.70	564	50	27.24	546	50	26.21	507	100	1:04.00	461	1110	2
112.	200	2:28.38	604	100	58.87	504	50	27.39	444				1108	2
113.	400	5:22.33	561	100	1:03.24	546	200	2:34.77	541	50	29.04	537	1107	2
114.	200 200	2:16.78 2:34.77	561 503	50	29.00	539	100	1:03.60	537	100	1:10.54	536	1100	2
115.	50	35.46	556	200	2:48.55	543	100	1:19.13	532				1099	2
116.	200	2:04.42	550	400	4:28.88	548	800	9:14.54	541	50	27.13	457	1098	2
117.	50	35.45	556	50	29.98	541	100	1:08.43	532	100	1:20.15	512	1097	2
118.	100 200	1:02.59 2:34.87	563 502	200	2:19.12	533	100	1:11.65	512	50	33.69	506	1096	2
119.	100	57.29	547	100	1:03.15	545	50	29.78	494				1092	2
120.	100	56.64	566	200	2:06.43	525							1091	2
121.	50	31.61	553	200	2:20.25	537	50	25.78	533	50	30.06	480	1090	2
122.	100 200	56.25 2:12.46	578 456	50	27.89	509	100	1:01.95	508	50	27.08	460	1087	2
123.	200	2:04.76	546	100	57.54	540	200	2:25.39	482	50	27.13	457	1086	2
124.	50	35.44	557	100	1:19.32	528							1085	2
125.	100	56.71	564	50	26.05	517							1081	2
126.	400	4:57.03	544	200	2:20.42	535	200	2:19.12	520				1079	2
127.	100	57.11	552	200	2:06.49	524	50	28.53	475				1076	2
128.	50 200	32.65 2:38.85	556 465	100	1:11.63	512	50	30.09	483	100	1:06.34	473	1068	2

13 -15 2025

129.	100 200	, 57.01 2:42.00	555 464	50	32.47	510	200	2:24.20	494	100	1:12.43	484	1065	2
130.	100	, 1:18.62	542	50	36.26	520							1062	2
131.	100	, 57.10	552	50	26.20	508	100	1:05.26	435				1060	2
132.	50	, 35.68	545	200	2:51.66	514	100	1:20.09	513				1059	2
133.	200	, 2:14.95	546	200	2:22.54	511							1057	2
134.	400	, 4:30.71	537	100	58.36	517	200	2:07.36	513	50	27.50	439	1054	2
135.	100	, 1:10.48	538	50	33.50	515							1053	2
136.	100	, 58.02	526	100	1:01.24	526	50	27.62	524	50	26.08	515	1052	2
137.	100	, 1:00.93	534	50	27.77	515	50	32.40	513	100	1:11.92	494	1049	2
138.	200 50	, 2:05.59 27.54	535 437	100	58.53	513	800	9:33.86	489	200	2:27.34	463	1048	2
139.	400 1500	, 4:51.78 19:31.71	524 484	800	10:02.20	521	50	29.91	491	100	1:05.75	486	1045	2
	100	, 1:03.61	533	50	29.42	512							1045	2
141.	200 50	, 2:19.25 35.42	532 436	100	1:04.63	512	200	2:40.99	480	100	1:14.39	457	1044	2
142.	100	, 57.70	535	200	2:07.91	507	50	28.33	485				1042	2
	100	, 1:04.08	525	50	29.41	517	100	1:09.58	506	50	31.12	483	1042	2
	200	, 2:18.12	532	100	1:04.56	510							1042	2
145.	100 100	, 57.91 1:15.78	529 422	50 50	32.43 32.20	512 391	50	26.72	479	200	2:11.10	470	1041	2
146.	50	, 32.74	552	100	1:21.48	487	50	39.44	404				1039	2
147.	50	, 25.97	521	50	27.94	506							1027	2

. , . , .13

50

OMEGA ARES 21

13 -15 2025

148.	50 100	, 36.30 1:24.97	518 429	50	29.61	506	100	1:06.68	466	50	35.07	449	1024	2
149.	200	, 2:20.59	517	100	1:04.91	505	50	29.67	503	400	5:06.14	454	1022	2
150.	200 400	, 2:37.74 5:40.43	511 476	100	1:09.62	506	100	1:05.59	490	800	10:17.76	483	1017	2
151.	50	, 32.36	515	100	1:11.59	501	200	2:40.45	478				1016	2
152.	100	, 58.42	516	200	2:09.56	487	200	2:25.66	479	50	27.16	456	1003	2
153.	200	, 2:07.05	517	100	59.61	485	50	27.69	430				1002	2
154.	200	, 2:06.70	521	200	2:25.60	479		4					1000	2
155.	100 200	, 58.98 2:36.10	501 389	50 50	26.37 38.11	498 315	200	2:15.08	430	50	32.17	392	999	2
156.	50	, 33.49	515	100	1:13.13	481	100	1:06.69	466	200	2:45.23	444	996	2
157.	100 50	, 58.65 33.99	510 332	50 200	26.61 2:44.24	485 316	100	1:05.07	438	100	1:13.88	340	995	2
158.	400	, 5:34.02	504	200	2:40.03	489		4					993	2
159.	100	, 1:04.98	500	200	2:21.90	490	50	30.12	477	200	2:16.15	420	990	2
160.	50 200	, 32.45	511 400	200 100	2:40.64 1:13.21	476 308	100	1:13.37	465	200	2:30.74	432	987	2
161.	200 200	, 2:21.45 3:08.88	507 386	100 200	1:06.14	477 -	200	2:44.17	453	50	33.39	391	984	2
162.	50 200	, 29.43 3:09.07	516 385	50 200	37.60 2:52.05	466 366	50	35.19	444	200	2:46.39	435	982	2
163.	50	, 32.48	509	100	1:13.02	472							981	2
164.	1500 50	, 18:17.00	500 -	100	59.81	480	200	2:25.62	479	200	2:18.80	396	980	2
165.	200	, 2:37.81	502	800	9:40.52	472		3					974	2
		, -				11		4					974	2

, . .13

50

OMEGA ARES 21

13 -15 2025

	400	4:31.29	533	200	2:24.89	441								
167.						07						964	2	
	50	34.14	486	200	2:37.49	478	100	1:13.32	478					
						10		3				964	2	
	200	2:53.87	495	100	1:22.53	469	50	38.39	438	200	2:49.87	409		
169.						09		5				962	2	
	100	1:05.16	496	50	30.37	466	50	35.47	391					
170.						11						960	2	
	400	4:40.18	484	800	9:38.71	476	1500	18:36.30	475	200	2:31.23	388		
	100	1:11.90	369	100	1:09.17	365								
171.						10		5				958	2	
	50	26.66	482	100	1:00.00	476	50	34.73	417	200	2:36.25	388		
	50	33.06	361	100	1:13.82	300								
172.						09		2				956	2	
	100	59.81	480	50	26.77	476	200	2:15.20	429	50	31.46	419		
	50	29.85	415											
173.						11						952	2	
	400	4:37.49	498	200	2:12.66	454	100	1:01.92	433					
174.						07		10				950	2	
	100	59.28	493	200	2:27.99	457	400	-						
175.						08		5				945	2	
	50	30.20	474	100	1:06.29	471								
176.						08						940	2	
	50	28.55	474	50	26.97	466	100	1:05.79	424	100	1:02.75	416		
	50	34.94	409											
177.						08		3				938	2	
	100	1:05.41	494	200	2:45.26	444	50	32.86	410	100	1:20.91	322		
178.						09						920	2	
	200	2:10.76	474	800	9:51.50	446	100	1:07.92	438					
179.						10		8				916	2	
	100	1:06.99	459	200	2:26.41	457	100	1:15.50	437					
180.						11						914	2	
	50	34.80	459	100	1:07.20	455	100	1:16.38	422	50	39.70	396		
181.						11		5				910	2	
	50	34.84	458	50	30.75	452	200	2:27.18	450	200	2:47.23	428		
	200	2:48.16	392	50	40.42	375								
182.						07						898	2	
	50	28.99	453	100	1:01.35	445	50	30.96	440	50	34.37	430		
	50	27.73	428	100	1:06.61	409								
183.						09						890	2	
	100	1:01.04	452	100	1:07.94	438	200	2:30.52	434	100	1:06.21	416		
	200	2:41.30	320											
184.						09		5				867	2	
	100	1:01.58	440	50	27.76	427								
185.						07		5				853	2	

. , . , .13

50

OMEGA ARES 21

13 -15 2025

	50	31.11	437	100	1:09.25	416								
186.		,				09							849	2
	200	3:02.65	427	200	2:48.12	422	200	2:46.30	405	50	39.55	400		
	100	1:27.01	400	50	38.07	351								
187.		,				09							792	2
	200	2:31.99	409	100	1:11.18	383	50	32.49	383	1500	21:18.62	373		
	800	11:17.44	366	400	5:34.61	348								
188.		,				05		11					608	1
	100	1:01.03	608											
		,				07							608	1
	50	30.63	608											
190.		,				10		2					597	1
	100	55.64	597											
191.		,				07							596	1
	50	30.83	596											
192.		,				09							547	1
	50	31.72	547											
193.		,				10							530	1
	200	2:20.85	530											
194.		,				10							525	1
	200	2:06.38	525											
195.		,				09		8					516	1
	200	2:33.44	516											
196.		,				09							502	1
	100	58.95	502											
197.		,				09							488	1
	100	1:02.77	488											
198.		,				10							482	1
	100	59.75	482											
199.		,				05		12					480	1
	100	1:06.01	480											
200.		,				09							406	1
	200	2:31.10	406											
201.		,				10							383	1
	200	2:34.00	383											